LED Fountain Light Kits
12V, Single Phase

Operation

⇒ Photo eye built into each Kasco power control panel registers levels of darkness and allows 120V power to flow to the low voltage transformer when dark.

⇒ Low voltage transformer takes in 120V and produces 12V power to illuminate the 42 LED bulbs.

⇒ Light from the LED bulbs shines onto the fountain pattern and illuminates the water.

⇒ When the fountain turns off or it becomes light out, power will stop flowing to the low voltage transformer and the lights will shut off.

Quick Facts

⇒ Complete Package includes Potted 42 Light LED Ring with Thermoplastic Housing, and SJTOW 3 Wire Power Cable with Built-In Low Voltage Transformer

⇒ Potted LED Lights for Leak Proof Operation

⇒ 100,000 Hour Rated LED Lights

⇒ Amber Colored Lights

⇒ Total Component Listed by ETL to meet UL and CSA Standards for Use on Floating Fountains

⇒ 2 Year Warranty

⇒ UPS Shippable

⇒ Energy Efficient, Low Voltage Lighting

⇒ Industrial Strength Design

⇒ 12 Watt Fixture

Light Kit Model

L140

⇒ 1 Potted 42 Light LED Ring with Thermoplastic Housing

⇒ 100,000 Hour Rated

⇒ Includes Low Voltage Transformer

⇒ Available in 50', 16 Gauge Cord

⇒ Used with 1400JF Aerating Fountain Models

⇒ Amber Colored Lights

The light ring attaches to the float using stainless steel hardware for a secure assembly. The light ring can be easily added after original purchase.

Kasco LED Lighting Package Specifications

Model #	Cord Length	Number of Fixtures	Voltage/ Phase/Hz	Wattage Per Fixture	Total Wattage	Lens Position	Shipping Weight	Number of Boxes
L140	50'	1	12/1/60	12	12	Above Water	5 Lbs.	1

ETL LISTED
INTERTEK
c ETL us
3020379

Rev. 6/11/10